




Plurio

Versatile post-top lantern, dark sky compliant offering Nighttune technology

- IDA Dark Sky Approved
- *IDA fixture seal of approval relates to ≤ 3000 K only and clear enclosures. Luminaires must be mounted as photometered.
- High versatility with a choice of four canopy designs : original, round, flat and disc
- Direct or indirect lighting
- Nighttune technology
- Zd4i certified on request



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96272421

Material/Finish

Base and canopy: die-cast aluminium

Via the configurator: texturized anthracite, black (R9005) and light grey and 48 other RAL possibilities

Ø60 mm: EN AC-44300, standard corrosion class C5 according to ISO 9223: 2012. Ø76 mm: EN AC-47100, standard corrosion class C3

Diffuser: clear UV stabilized polycarbonate with anti glare prisms on the outer part

Internal reflector and cable pipe: white highly reflective ABS (plastic)

Mirrors (asymmetrical version): high reflective anodised aluminium

Screw fixings: stainless steel

Installation/Mounting

Post top mounting. Recommended height: 3-4m

Spigot: 60mm (length: 75mm) or 76mm (length: 100mm)

Dedicated range of columns and brackets

Access to LEDs and gear via 3 screws below the bowl

Pre-wired versions available via configurator

Delivered in one carton ready to install, complete with factory fitted integral gear.

Plurio

Ordering Guide Supplied complete with LEDs.

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
Plurio Indirect, Symmetrical optic, flat canopy					
PLI F 24L25-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668611	
PLI F 24L35-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668613	
PLI F 24L50-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668615	
PLI F 24L60-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668617	
PLI F 24L70-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668619	
PLI F 24L70-722-40 R/S T60 CL2 ANT	LED		11	96668621	
PLI F 24L50-722-40 R/S T60 CL2 ANT	LED		11	96668623	
PLI F 24L35-722-40 R/S T60 CL2 ANT	LED		11	96668625	
PLI F 24L35-830 R/S BS 3550 T60 CL2 ->	LED		6,7	92916445	E7748616
PLI F 24L35-722 R/S BS 3550 T60 CL2 ->	LED		6,7	92916460	E7748629
Plurio Indirect, Symmetrical optic, disc canopy					
PLI D 24L25-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668627	
PLI D 24L35-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668629	
PLI D 24L50-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668631	
PLI D 24L60-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668633	
PLI D 24L70-740 R/S BS 3550 T60 CL2 ANT	LED		11	96668635	
PLI D 24L35-722-40 R/S T60 CL2 ANT	LED		11	96668637	
PLI D 24L50-722-40 R/S T60 CL2 ANT	LED		11	96668639	
PLI D 24L70-722-40 R/S T60 CL2 ANT	LED		11	96668641	
PLI D 24L50-830 R/S BS 3550 T60 CL2 ->	LED		6,7	92916458	E7748627
PLI D 24L50-722 R/S BS 3550 T60 CL2 ->	LED		6,7	92916459	E7748628
PLI D 24L35-830 R/S BS 3550 T60 CL2 ->	LED		6,7	92916449	E7748618
PLI D 24L35-722 R/S BS 3550 T60 CL2 ->	LED		6,7	92916450	E7748619
PLI D 24L35-722-40 R/S T60 CL2 WS4 GY	LED		6,7	92916451	E7748620
PLI D 24L35-830 R/S BS 3550 T60 CL2 ->	LED		6,7	92916455	E7748624
PLI D 24L35-722 R/S BS 3550 T60 CL2 ->	LED		6,7	92916456	E7748625
Plurio Indirect, Street optic, flat canopy					
PLI F 24L35-830 EWC-B BS 3550 T60 CL2 ->	LED		6,7	92916448	E7748617
Plurio Indirect, Street optic, disc canopy					
PLI D 24L35-830 EWC-B BS 3550 T60 CL2 ->	LED		6,7	92916453	E7748622
PLI D 24L35-830 EWC-B BS 3550 T60 CL2 ->	LED		6,7	92916454	E7748623
Plurio LED Symmetrical optic, original canopy					
PLD O 18L35 R/S BPSW CL2 N4M D60 L740	LED		7,8	96259972	E7753937
PLD O 18L105-740 R/S BS 3550 T60 CL2 GY	LED		9,5	96272430	
Plurio LED Symmetrical optic, round canopy					
PLD R 18L70 R/S BPSW CL2 N4M D60 L740	LED		7,8	96260706	E7753920
PLD R 18L35 R/S BPSW CL2 N4M D60 L740	LED		7,8	96260861	E7753741
PLD R 18L50 R/S BPSW CL2 N4M D60 L740	LED		7,8	96260864	E7753745
PLD R 18L105-740 R/S BS 3550 T60 CL2 GY	LED		9,5	96272444	
Plurio Direct, Symmetrical optic, flat canopy					
PLD F 18L35 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92926121	E7740018
PLD F 18L105 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92927535	E7740019

Plurio

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
PLD F 18L70 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92927536	E7740020
PLD F 18L50 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92927537	E7740021
Plurio Direct, Symmetrical optic, disc canopy					
PLD D 18L35 740 R/S BS 3550 T60 CL2 ->	LED		6,7	92917974	E7740016
PLD D 18L70 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92918409	E7740017
PLD D 18L105 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92927538	E7740022
PLD D 18L50 740 R/S BS 3550 T60 CL2 ->	LED		7,7	92927541	E7740023
Plurio LED Street optic, original canopy					
PLD O 18L70 WST BPSW CL2 N4M D60 L740	LED		7,8	96260705	E7753919
Plurio LED Street optic, round canopy					
PLD R 18L70 WST BPSW CL2 N4M D60 L740	LED		7,8	96260707	E7753926
PLD R 18L35 WST BPSW CL2 N4M D60 L740	LED		7,8	96260862	E7753743
PLD R 18L50 WST BPSW CL2 N4M D60 L740	LED		7,8	96260863	E7753747