



Punch

Classic Simplicity: Versatility combined with a high-quality look and feel.

- Design: Classic, linear design comprising a pleasing and timeless aesthetic. High quality materials underline the value of the product.
- Light distribution: Direct, direct/indirect (60/40% or 50/50%) and asymmetric light distribution, a double parabolic aluminium and a LRO optic version, as well as UGR <16 make PUNCH a great choice for a wide field of application.
- Installation: Suspended and surface-mounted variants plus the possibility of continuous row and wall mounting are important features to provide maximum flexibility.
- Smart design features for fast and easy installation and maintenance enhance the user experience.
- Variants for every need: CRI80 or CRI90, emergency mode, pull cord switch, infills of different sizes for continuous row or the choice between LRO and louver optic open up lots of possibilities for various situations.



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



96630506

Material/Finish

Housing and end caps: Sheet steel, white powder coated
 Double parabolic louvres: High reflective aluminum
 Diffusers: Opal polycarbonate (PC)
 LRO: Microprismatic polymethylmethacrylate (PMMA)

Installation/Mounting

Suspended direct/indirect: Slidable suspension components for easy mounting, suspensions to be ordered separately (22171581), pre-installed power cord
 Suspended direct only: Combine your desired surface-mounted LRO or LV-Variant with the optional suspension accessories (22171581 & 22171349) to be ordered separately
 Surface: Suitable for direct surface mounting
 Continuous row & Infills: Optional accessories to link individual suspended luminaires together
 Wall: Optional wall mounting bracket accessory compatible with all versions

Punch

Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
Punch, surface					
PUNCH 3 LV MSC 4000-940 L12 HF	LED		3,5	96636009	
PUNCH 3 LV MSC 6000-940 L15 HF	LED		3,8	96636010	
PUNCH 3 LV MSC 4000-930 L12 HF	LED		3,5	96636013	
PUNCH 3 LV MSC 6000-930 L15 HF	LED		3,8	96636014	
PUNCH 3 LV MSC 4000-830 L12 HF	LED		3,5	96636019	
PUNCH 3 LV MSC 4000-840 L12 HF	LED		3,5	96636020	
PUNCH 3 LV MSC 6000-830 L15 HF	LED		3,8	96636021	
PUNCH 3 LV MSC 6000-840 L15 HF	LED		3,8	96636022	
PUNCH 3 LRO MSC 3200-930 L12 HF	LED		3,5	96636033	
PUNCH 3 LRO MSC 3800-930 L15 HF	LED		3,8	96636034	
PUNCH 3 LRO MSC 3200-940 L12 HF	LED		3,5	96636037	
PUNCH 3 LRO MSC 3800-940 L15 HF	LED		3,8	96636038	
PUNCH 3 LRO MSC 3200-830 L12 HF	LED		3,5	96636043	
PUNCH 3 LRO MSC 3200-840 L12 HF	LED		3,5	96636044	
PUNCH 3 LRO MSC 3800-830 L15 HF	LED		3,8	96636045	
PUNCH 3 LRO MSC 3800-840 L15 HF	LED		3,8	96636046	
Punch, surface, dimmable					
<PUNCH 3 LRO MSC 3200-830 L12 HFIX	LED		6	96635385	
PUNCH 3 LRO MSC 3200-840 L12 HFIX	LED		6	96635386	
<PUNCH 3 LRO MSC 3800-830 L15 HFIX	LED		6,5	96635387	
PUNCH 3 LRO MSC 3800-840 L15 HFIX	LED		6,5	96635388	
PUNCH 3 LRO MSC 3200-940 L12 HFIX	LED		6	96635391	
PUNCH 3 LRO MSC 3800-940 L15 HFIX	LED		6,5	96635392	
PUNCH 3 LV MSC 4000-940 L12 HFIX	LED		3,8	96635717	
PUNCH 3 LV MSC 6000-940 L15 HFIX	LED		3,8	96635718	
PUNCH 3 LV MSC 4000-830 L12 HFIX	LED		3,5	96635735	
PUNCH 3 LV MSC 4000-840 L12 HFIX	LED		3,5	96635736	
PUNCH 3 LV MSC 6000-830 L15 HFIX	LED		3,8	96635737	
PUNCH 3 LV MSC 6000-840 L15 HFIX	LED		3,8	96635738	
PUNCH 3 LV MSC 4000-930 L12 HFIX	LED		3,5	96636025	
PUNCH 3 LV MSC 6000-930 L15 HFIX	LED		3,8	96636026	
PUNCH 3 LRO MSC 3200-930 L12 HFIX	LED		3,5	96636049	
PUNCH 3 LRO MSC 3800-930 L15 HFIX	LED		3,8	96636050	
Punch, surface, dimmable emergency					
<PUNCH 3 LRO MSC 3200-830 L12 HFIX E3	LED		6,2	96635401	
<PUNCH 3 LRO MSC 3200-840 L12 HFIX E3	LED		6,2	96635402	
PUNCH 3 LRO MSC 3800-830 L15 HFIX E3	LED		6,8	96635403	
PUNCH 3 LRO MSC 3800-840 L15 HFIX E3	LED		6,8	96635404	
PUNCH 3 LRO MSC 3800-940 L15 HFIX E3	LED		6,8	96635408	
PUNCH 3 LV MSC 4000-940 L12 HFIX E3	LED		3,8	96635721	
PUNCH 3 LV MSC 6000-940 L15 HFIX E3	LED		3,8	96635722	
PUNCH 3 LV MSC 4000-830 L12 HFIX E3	LED		3,5	96635727	
PUNCH 3 LV MSC 4000-840 L12 HFIX E3	LED		3,5	96635728	
PUNCH 3 LV MSC 6000-830 L15 HFIX E3	LED		3,8	96635729	

Punch

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
PUNCH 3 LV MSC 6000-840 L15 HFIX E3	LED		3,8	96635730	
PUNCH 3 LRO MSC 3200-940 L12 HFIX E3	LED		3,5	96635739	
PUNCH 3 LV MSC 4000-930 L12 HFIX E3	LED		3,5	96636029	
PUNCH 3 LV MSC 6000-930 L15 HFIX E3	LED		3,8	96636030	
PUNCH 3 LRO MSC 3800-930 L15 HFIX E3	LED		3,8	96636052	
PUNCH 3 LRO MSC 3200-930 L12 HFIX E3	LED		3,5	96636053	
Punch, suspended					
<PUNCH 3 ASYM MSP 2200-830 L12 HF	LED		3,5	96630502	E7018909
<PUNCH 3 ASYM MSP 2200-840 L12 HF	LED		3,5	96630503	E7018914
PUNCH 3 LV MSP 5500-940 L12 HF	LED		3,5	96636007	
PUNCH 3 LV MSP 6600-940 L15 HF	LED		3,8	96636008	
PUNCH 3 LV MSP 5500-930 L12 HF	LED		3,5	96636011	
PUNCH 3 LV MSP 6600-930 L15 HF	LED		3,8	96636012	
PUNCH 3 LV MSP 5500-830 L12 HF	LED		3,5	96636015	E7023063
PUNCH 3 LV MSP 5500-840 L12 HF	LED		3,5	96636016	E7023066
PUNCH 3 LV MSP 6600-830 L15 HF	LED		3,8	96636017	E7023067
PUNCH 3 LV MSP 6600-840 L15 HF	LED		3,8	96636018	E7023068
PUNCH 3 LRO MSP 5500-930 L12 HF	LED		3,5	96636031	
PUNCH 3 LRO MSP 6600-930 L15 HF	LED		3,8	96636032	
PUNCH 3 LRO MSP 5500-940 L12 HF	LED		3,5	96636035	
PUNCH 3 LRO MSP 6600-940 L15 HF	LED		3,8	96636036	
PUNCH 3 LRO MSP 5500-830 L12 HF	LED		3,5	96636039	
PUNCH 3 LRO MSP 5500-840 L12 HF	LED		3,5	96636040	
PUNCH 3 LRO MSP 6600-830 L15 HF	LED		3,8	96636041	
PUNCH 3 LRO MSP 6600-840 L15 HF	LED		3,8	96636042	
PUNCH 3 ASYM MSP 2200-940 L12 HF	LED		3,5	96636056	
PUNCH 3 ASYM MSP 2200-930 L12 HF	LED		3,5	96636057	
Punch, suspended, dimmable					
<PUNCH 3 ASYM MSP 2200-830 L12 HFIX	LED		3,5	96630508	E7018929
PUNCH 3 ASYM MSP 2200-840 L12 HFIX	LED		3,5	96630509	E7018932
<PUNCH 3 LRO MSP 5500-830 L12 HFIX	LED		6	96635381	E7021424
PUNCH 3 LRO MSP 5500-840 L12 HFIX	LED		6	96635382	E7021425
PUNCH 3 LRO MSP 6600-830 L15 HFIX	LED		6,5	96635383	E7021428
PUNCH 3 LRO MSP 6600-840 L15 HFIX	LED		6,5	96635384	E7021429
PUNCH 3 LRO MSP 5500-940 L12 HFIX	LED		6	96635389	
<PUNCH 3 LRO MSP 6600-940 L15 HFIX	LED		6,5	96635390	
<PUNCH 3 LRO MSP 5500-930 L12 HFIX SWD	LED		6	96635393	E7021426
<PUNCH 3 LRO MSP 5500-940 L12 HFIX SWD	LED		6	96635394	E7021427
<PUNCH 3 LRO MSP 6600-930 L15 HFIX SWD	LED		6,5	96635395	
<PUNCH 3 LRO MSP 6600-940 L15 HFIX SWD	LED		6,5	96635396	
PUNCH 3 LV MSP 5500-930 L12 HFIX SWD	LED		3,5	96635476	E7021431
PUNCH 3 LV MSP 5500-940 L12 HFIX SWD	LED		3,5	96635477	E7021433
PUNCH 3 LV MSP 6600-930 L15 HFIX SWD	LED		3,8	96635478	E7021434
PUNCH 3 LV MSP 6600-940 L15 HFIX SWD	LED		3,8	96635479	E7021435
PUNCH 3 LV MSP 5500-940 L12 HFIX	LED		3,5	96635715	
PUNCH 3 LV MSP 6600-940 L15 HFIX	LED		3,5	96635716	

Punch

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
PUNCH 3 LV MSP 5500-830 L12 HFIX	LED		3,5	96635731	E7023059
PUNCH 3 LV MSP 5500-840 L12 HFIX	LED		3,5	96635732	E7023060
PUNCH 3 LV MSP 6600-830 L15 HFIX	LED		3,8	96635733	E7023061
PUNCH 3 LV MSP 6600-840 L15 HFIX	LED		3,8	96635734	E7023062
PUNCH 3 ASYM MSP 2200-940 L12 HFIX	LED		3,5	96635741	
PUNCH 3 LV MSP 5500-930 L12 HFIX	LED		3,5	96636023	
PUNCH 3 LV MSP 6600-930 L15 HFIX	LED		3,8	96636024	
PUNCH 3 LRO MSP 5500-930 L12 HFIX	LED		3,5	96636047	
PUNCH 3 LRO MSP 6600-930 L15 HFIX	LED		3,8	96636048	
PUNCH 3 ASYM MSP 2200-930 L12 HFIX	LED		3,5	96636055	
Punch, suspended, dimmable emergency					
<PUNCH 3 LRO MSP 5500-830 L12 HFIX E3	LED		6,2	96635397	
PUNCH 3 LRO MSP 5500-840 L12 HFIX E3	LED		6,2	96635398	
<PUNCH 3 LRO MSP 6600-830 L15 HFIX E3	LED		6,8	96635399	
PUNCH 3 LRO MSP 6600-840 L15 HFIX E3	LED		6,8	96635400	
PUNCH 3 LRO MSP 5500-840 L12 HFIX E3D	LED		6,2	96635405	
<PUNCH 3 LRO MSP 6600-940 L15 HFIX E3	LED		6,8	96635406	
PUNCH 3 LRO MSP 6600-840 L15 HFIX E3D	LED		6,2	96635407	
PUNCH 3 LV MSP 5500-940 L12 HFIX E3	LED		3,5	96635719	
PUNCH 3 LV MSP 6600-940 L15 HFIX E3	LED		3,5	96635720	
PUNCH 3 LV MSP 5500-830 L12 HFIX E3	LED		3,5	96635723	
PUNCH 3 LV MSP 5500-840 L12 HFIX E3	LED		3,8	96635724	
PUNCH 3 LV MSP 6600-830 L15 HFIX E3	LED		3,5	96635725	
PUNCH 3 LV MSP 6600-840 L15 HFIX E3	LED		3,8	96635726	
PUNCH 3 LRO MSP 5500-940 L12 HFIX E3	LED		3,8	96635740	
PUNCH 3 LV MSP 5500-930 L12 HFIX E3	LED		3,5	96636027	
PUNCH 3 LV MSP 6600-930 L15 HFIX E3	LED		3,8	96636028	
PUNCH 3 LRO MSP 6600-930 L15 HFIX E3	LED		3,8	96636051	
PUNCH 3 LRO MSP 5500-930 L12 HFIX E3	LED		3,5	96636054	
Punch accessories					
PUNCH 3 ASYM WALL BRACKET WH			0,75	96667068	E7018939
CEILING ROSE ROUND ASI/ASQ3 WH			0,2	22171581	E7910175
PUNCH 3 LRO C MOUNT SET			1,2	96635433	
PUNCH 3 LRO INFILL L9			1,2	96635434	
PUNCH 3 LRO INFILL L15			1,5	96635435	
PUNCH 3 LV C MOUNT SET			0,5	96635743	
PUNCH 3 LV INFILL L9			1,85	96635744	
<PUNCH 3 LV INFILL L15			2,85	96635745	
PUNCH 3 EMERGENCY BATTERY SPARE			0,22	96636058	