



IQ Beam

Brightly balanced recessed ceiling light

- **Design:** It's clear linear design and distinct light make IQ Beam is a real looker. And with its integrated features and clean exterior, it appears both classic and, at the same time, innovative.
- **Optic:** With up to 140 lm/W, UGR<19 and CRI>90 the MPT version is a performance luminaire for office and education applications. The MPT-F version features an additional micro diffusor foil for better comfort; ideal for corridors and other gathering areas.
- **Installation:** Combining intelligent design features with microprism optics lead to a brilliant enhancement for wide-ranging refurbishment projects and cuts an excellent figure in virtually any setting from offices to far-reaching secondary spaces.



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



92928077

Material/Finish

Diffuser: polycarbonate

Body: highly reflective white steel coffer

Installation/Mounting

Suitable for lay in, as well as for pull up, into concealed grid and plasterboard ceilings with our optional wedge accessory kits suitable.

Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
IQ Beam					
IQ BEAM 3000-840 MPT HF Q600	LED		4,12	96634274	
IQ BEAM 3800-840 MPT HF Q600	LED		4,12	96634275	
IQ BEAM 4300-840 MPT HF Q600	LED		4,2	96634276	
IQ BEAM 3000-840 MPT-F HF Q600	LED		4,14	96634277	
IQ BEAM 3800-840 MPT-F HF Q600	LED		4,14	96634278	
IQ BEAM 4300-840 MPT-F HF Q600	LED		4,22	96634279	
IQ BEAM 3000-830 MPT HF Q600 TBL3	LED		4,12	96635097	
IQ BEAM 3000-830 MPT-F HF Q600 TBL3	LED		4,14	96635099	
IQ BEAM 3800-830 MPT HF Q600 TBL3	LED		4,12	96635102	

Ta = 0 to +40, IP20, IP20_IP30, IK03, SC1, CE, RCM, 650, Ta=-20°C_to_+40°C

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
IQ BEAM 3800-830 MPT-F HF Q600 TBL3	LED		4,14	96635104	
IQ BEAM 4300-830 MPT HF Q600 TBL3	LED		4,12	96635107	
IQ BEAM 4300-830 MPT-F HF Q600 TBL3	LED		4,14	96635109	
IQ BEAM 3800-840 OPC HF Q600	LED		4,12	96635325	
IQ BEAM 3800-840 MC HF Q600	LED		4,12	96635326	
IQ BEAM 3000-840 OPC HF Q600	LED		4,12	96635327	
IQ BEAM 4300-840 OPC HF Q600	LED		4,2	96635329	
IQ BEAM 3000-840 MC HF Q600	LED		4,12	96635330	
IQ BEAM 4300-840 MC HF Q600	LED		4,2	96635332	
IQ BEAM 4300-940 OPC HF Q600	LED		4,2	96635441	
IQ Beam, emergency					
IQ BEAM 3000-840 MPT HF E3 Q600	LED		4,44	92927325	
IQ BEAM 3000-840 MPT HF E3D Q600	LED		4,44	92927328	
IQ BEAM 3000-840 MPT-F HF E3 Q600	LED		4,46	92927331	
IQ BEAM 3000-840 MPT-F HF E3D Q600	LED		4,5	92927333	
IQ BEAM 3800-840 MPT HF E3 Q600	LED		4,44	92927336	
IQ BEAM 4300-840 MPT HF E3 Q600	LED		4,52	92927342	
IQ BEAM 4300-840 MPT HF E3D Q600	LED		4,5	92927345	
IQ BEAM 4300-840 MPT-F HF E3 Q600	LED		4,54	92927348	
IQ BEAM 4300-840 MPT-F HF E3D Q600	LED		4,5	92927350	
IQ BEAM 3800-840 MPT HF E3D Q600	LED		4,44	92927355	
IQ BEAM 3800-840 MPT-F HF E3 Q600	LED		4,46	92927358	
IQ BEAM 3800-840 MPT-F HF E3D Q600	LED		4,5	92927360	
IQ BEAM 3000-830 MPT HF E3 Q600	LED		4,4	92928079	
IQ BEAM 3800-830 MPT HF E3 Q600	LED		4,4	92930332	
IQ BEAM 3000-840 MC HF E3 Q600	LED		4,4	96635436	
IQ BEAM 4300-840 MC HF E3D Q600	LED		4,5	96635437	
IQ BEAM 3000-940 OPC HF E3D Q600	LED		4,4	96635442	
IQ Beam, dimmable					
IQ BEAM 3000-840 MPT HFIX Q600	LED		4,16	92927326	
IQ BEAM 3000-840 MPT-F HFIX Q600	LED		4,18	92927330	
IQ BEAM 3800-840 MPT HFIX Q600	LED		4,16	92927335	
IQ BEAM 4300-840 MPT HFIX Q600	LED		4,24	92927343	
IQ BEAM 4300-840 MPT-F HFIX Q600	LED		4,26	92927347	
IQ BEAM 3800-840 MPT-F HFIX Q600	LED		4,18	92927357	
IQ BEAM 3000-830 MPT HFIX Q600 TBL5	LED		4,16	96635098	
IQ BEAM 3000-830 MPT-F HFIX Q600 TBL5	LED		4,18	96635100	
IQ BEAM 3000-930 MPT-F HFIX Q600 TBL5	LED		4,18	96635101	
IQ BEAM 3800-830 MPT HFIX Q600 TBL5	LED		4,16	96635103	
IQ BEAM 3800-830 MPT-F HFIX Q600 TBL5	LED		4,18	96635105	
IQ BEAM 3800-930 MPT-F HFIX Q600 TBL5	LED		4,18	96635106	
IQ BEAM 4300-830 MPT HFIX Q600 TBL5	LED		4,24	96635108	
IQ BEAM 4300-830 MPT-F HFIX Q600 TBL5	LED		4,26	96635110	
IQ BEAM 4300-930 MPT-F HFIX Q600 TBL5	LED		4,26	96635111	
IQ BEAM 3000-840 MC HFIX Q600	LED		4,2	96635438	
IQ BEAM 3000-840 OPC HFIX Q600	LED		4,2	96635439	

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
IQ BEAM 4300-940 OPC HFIX Q600	LED		4,2	96635443	
IQ BEAM 3800 840 OPC HFIX Q600	LED		4,2	96635514	
IQ BEAM 3800-840 MC HFIX Q600	LED		4,2	96635515	
IQ Beam, dimmable, emergency					
IQ BEAM 3000-840 MPT HFIX E3 Q600	LED		4,48	92927327	
IQ BEAM 3000-840 MPT HFIX E3D Q600	LED		4,5	92927329	
IQ BEAM 3000-840 MPT-F HFIX E3 Q600	LED		4,5	92927332	
IQ BEAM 3000-840 MPT-F HFIX E3D Q600	LED		4,5	92927334	
IQ BEAM 3800-840 MPT HFIX E3 Q600	LED		4,48	92927337	
IQ BEAM 4300-840 MPT HFIX E3 Q600	LED		4,56	92927344	
IQ BEAM 4300-840 MPT HFIX E3D Q600	LED		4,6	92927346	
IQ BEAM 4300-840 MPT-F HFIX E3 Q600	LED		4,58	92927349	
IQ BEAM 4300-840 MPT-F HFIX E3D Q600	LED		4,6	92927351	
IQ BEAM 3800-840 MPT HFIX E3D Q600	LED		4,48	92927356	
IQ BEAM 3800-840 MPT-F HFIX E3 Q600	LED		4,5	92927359	
IQ BEAM 3800-840 MPT-F HFIX E3D Q600	LED		4,5	92927361	
IQ BEAM 4300-840 OPC HFIX E3D Q600	LED		4,6	96635440	
IQ Beam, sensor					
IQ BEAM 3800-840 MPT HFSX Q600	LED		4,2	92926488	
IQ BEAM 3000-840 MPT SENS Q600	LED		4,2	92927382	
IQ BEAM 3800-840 MPT SENS Q600	LED		4,2	92927383	
IQ BEAM 4300-840 MPT SENS Q600	LED		4,3	92927384	
IQ BEAM 3000-840 MPT-F SENS Q600	LED		4,2	92927385	
IQ BEAM 3800-840 MPT-F SENS Q600	LED		4,2	92927386	
IQ BEAM 4300-840 MPT-F SENS Q600	LED		4,3	92927387	
IQ BEAM 3000-840 MPT HFSX Q600	LED		4,2	92927685	
IQ BEAM 3000-840 MPT-F HFSX Q600	LED		4,2	92927686	
IQ BEAM 3800-840 MPT-F HFSX Q600	LED		4,2	92927687	
IQ BEAM 4300-840 MPT-F HFSX Q600	LED		4,3	92927688	
IQ BEAM 4300-840 MPT HFSX Q600	LED		4,3	92927689	
IQ Beam, sensor, emergency					
IQ BEAM 3000-840 MPT-F SENS E3 Q600	LED		4,6	92926487	
IQ BEAM 3000-840 MPT SENS E3 Q600	LED		4,5	92927635	
IQ BEAM 3800-840 MPT-F SENS E3 Q600	LED		4,6	92927636	
IQ BEAM 3800-840 MPT SENS E3 Q600	LED		4,5	92927637	
IQ BEAM 4300-840 MPT SENS E3 Q600	LED		4,6	92927638	
IQ BEAM 4300-840 MPT-F SENS E3 Q600	LED		4,6	92927639	
IQ Beam, high temperature					
IQ BEAM HT 6300-840 MPT-F HF Q600	LED		4,22	96636076	
IQ BEAM HT 6300-840 MPT-F HFIX Q600	LED		4,26	96636077	
IQ BEAM HT 6300-840 MPT-F PIR SS Q600	LED		4,32	96636078	
IQ BEAM HT 6300-840 MPT-F PIR Q600	LED		4,32	96636079	
IQ Beam accessories					
basicDIM ILD PROGRAMMER			0,031	28000257	
REMOTECONTROL IR6			0,019	28000647	

IQ Beam

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
IQ BEAM EXTERNAL FIT WEDGE 1-SET			0,22	96634438	
IQ BEAM INTERNAL FIT WEDGE 1-SET			0,22	96634439	
BETA 3 IQ BEAM SURFACE MOUNT KIT Q600			1,9	96635031	