



Novaline Style

Contemporary versatility and functionality combined with elegant design, for lounge as well as for circulation areas

- Slim design available in three sizes, with black, white and silver bezels
- Available also with slight indirect light, ensuring comfort and uniformity
- Easy and simple to install, with a quick fix mounting system to optimize installation timings
- Sealed to IP54 and rated IK08 for a high degree of protection
- ADDITIONAL OPTIONS ARE AVAILABLE: DALI Dimmable, Emergency (E3, E3D), Bluetooth control, and different sensors. See myProduct for configuration options.



Photographs, line drawings and photometric data are representative only. For specific product detail please select an individual product.



Material/Finish

Body: polycarbonate in white, black or silver

Diffuser: opal polycarbonate

Installation/Mounting

Suitable for installation directly on walls or ceilings. Easy and simple to install, with a quick fix mounting system to optimize installation timing.

Ordering Guide

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
Novaline Style S					
NOVS S 1400-840 DI HF WH	LED		1,66	96635313	E7509076
NOVS S 1900-840 DI HF WH	LED		1,66	96635314	E7509117
NOVS S 1400-840 DI HF BK	LED		1,68	96635517	
NOVS S 1900-840 DI HF BK	LED		1,66	96635598	
NOVS S 1400-830 DI HF WH	LED		1,66	92963724	E7509077
NOVS S 1900-830 DI HF WH	LED		1,66	92963725	E7509118
Novaline Style S, dimmable					
NOVS S 1400-840 DI HFI WH	LED		1,68	96635516	E7509119
NOVS S 1900-840 DI HFI WH	LED		1,68	96635518	E7509121

Novaline Style

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
NOVS S 1400-830 DI HFI WH	LED		1,68	96635521	E7509120
NOVS S 1900-830 DI HFI WH	LED		1,68	96635522	E7509122
NOVS S 1400-840 DI HFI SR	LED		1,68	96635528	
NOVS S 1900-840 DI HFI SR	LED		1,68	96635529	
NOVS S 1400-840 DI HFI BK	LED		1,68	96635533	
NOVS S 1900-840 DI HFI BK	LED		1,68	96635534	
Novaline Style S, emergency					
NOVS S 1900-840 DI HFI E3D WH	LED		1,96	96635526	
NOVS S 1900-840 DI HF E3 WH	LED		1,94	96635527	
Novaline Style M					
NOVS M 2500-840 DI HF WH	LED		2,12	96635315	E7509102
NOVS M 3500-840 DI HF WH	LED		2,12	96635316	
NOVS M 2500-830 DI HF WH	LED		2,12	92958721	E7509101
Novaline Style M, dimmable					
NOVS M 3500-840 DI HFI WH	LED		2,14	96635354	E7509106
NOVS M 2500-840 DI HFI WH	LED		2,14	96635519	E7509104
NOVS M 2500-830 DI HFI WH	LED		2,14	96635523	E7509103
NOVS M 3500-830 DI HFI WH	LED		2,14	96635524	E7509105
NOVS M 2500-840 DI HFI SR	LED		2,14	96635530	
NOVS M 3500-840 DI HFI SR	LED		2,14	96635531	
NOVS M 2500-840 DI HFI BK	LED		2,14	96635535	
NOVS M 3500-840 DI HFI BK	LED		2,14	96635536	
Novaline Style M, emergency					
NOVS M 2500-840 DI HF E3 WH	LED		2,4	96635319	
NOVS M 3500-840 DI HF E3 WH	LED		2,4	96635361	
NOVS M 3500-840 DI HFI E3D WH	LED		2,42	96635362	
Novaline Style L					
NOVS L 4000-840 DI HF WH	LED		2,87	96635317	E7509108
NOVS L 4000-830 DI HF WH	LED		2,87	92959517	E7509107
Novaline Style L, dimmable					
NOVS L 5000-840 DI HFI WH	LED		2,87	96635318	E7509112
NOVS L 5000-840 DI HFI SR	LED		2,89	96635363	
NOVS L 5000-830 DI HFI WH	LED		2,89	96635426	E7509111
NOVS L 5000-840 DI HFI BK	LED		2,89	96635429	
NOVS L 4000-840 DI HFI WH	LED		2,89	96635520	E7509110
NOVS L 4000-830 DI HFI WH	LED		2,89	96635525	E7509109
NOVS L 4000-840 DI HFI SR	LED		2,89	96635532	
NOVS L 4000-840 DI HFI BK	LED		2,89	96635549	
Novaline Style L, emergency					
NOVS L 5000-840 DI HFI E3D WH	LED		3,17	96635430	
Novaline Style accessories					
NOVS M/L SUSP SET AST2 WH			0,848	96635680	
NOVS M/L SUSP SET AST4 WH			0,871	96635681	

Novaline Style

Description	ILCOS Code	Socket	Wt (kg)	SAP Code	Cat. No.
NOVS M/L SUSP SET AP1 WH			0	96635684	
NOVS M/L SUSP SET AP2 WH			0	96635685	
NOVS S SUSP SET AP1 WH			0	96635682	
NOVS S SUSP SET AP2 WH			0	96635683	