

THORN

Product Focus | Spring 2016



Key Launches

Launches

Upgrades

Indoor

1 **Equaline Mini**

2 **IQ Wave**

3 **Virgule LED**

Outdoor

4 **Areaflood Pro**

5 **Thor L**

6 **Urba Deco**

Indoor

7 **Beta Office**

8 **Cetus Mini (extension)**

9 **PopPack LED
(extension)**

Indoor

10 **Arena Symphony LED**

11 **Beta**



EquaLine Mini

A new addition to the linear EquaLine range, EquaLine Mini is an elegant, slim light line suitable for continuous mounting.

EquaLine Mini provides seamless lighting with high quality of light across the luminaire's entire length for a great variety of applications. Flexible and easy to integrate into the environment, EquaLine Mini provides a homogenous light distribution through individual or linked luminaires. It can be used to illuminate a space or as a decorative lit line. An anodized aluminium body combined with a minimalist design and consistent line of light creates quality and elegance. The latest LED technology ensures reliable light performance and high efficacy (120Lm/W). Combined with DALI dimming, EquaLine Mini increases energy savings even further. EquaLine Mini benefits from "I", "L" and "T" joining accessories for flexible lighting design. Installation is fast and easy due to the end to end wiring connectors.

www.thornlighting.com/EQUM





IQ Wave

IQ Wave is a recessed LED luminaire focusing on intelligent design, optics, installation and control. As a result great lighting quality and high user comfort are provided.

IQ Wave features Thorn's unique MV-Tech light optic which creates a smooth, homogenous illuminance. No LED are visible and a comfortable, ambient indirect light is created. As well as low glare (UGR 19, <math><3.000\text{ CD/m}^2</math> at 65°), IQ Wave is highly efficient (100lm/W) to achieve significant energy savings in comparison to conventional light sources. Distinctly different to flat panels, IQ Wave benefits from a modern wave design and the flexibility of several installation options, including recessed in exposed and concealed grid systems as well as plasterboard.

Easy to install, it offers hassle-free levelling into all compatible ceilings types.

IQ Wave is available with a light output of 3 000 and 3 500 lumens, in two square sizes (597x597mm and 622x622mm) and a choice of colour temperatures (3000K, 4000K and 6500K). The family has a range of control systems which allow for daylight, presence and absence detection using PIR and microwave sensors. IQ Wave is also available with a wireless radio frequency sensor, ideal for retro fit solutions.

www.thornlighting.com/IQWW







3

Virgule LED



Virgule LED is a versatile LED spotlight designed for track and independent ceiling mounting.

Virgule LED is the ideal spot light solution with low cost of ownership available with 1 000 to 3 800 lumens replacing 35-70W metal halide lamps. High efficacy ensures low energy consumption while a long 50 000-hours lifetime significantly reduces maintenance requirements and costs. Virgule LED offers great lighting quality with a colour rendering index above 80 that goes in hand with MacAdam 3-step ellipses for colour stable lighting and colour temperatures of 3000K and 4000K. Virgule LED is suitable for applications including presentation, retail and hospitality and offers different light beam shapes including spot, flood and wideflood. 355° rotation and 180° tilt provide further flexibility as well as interchangeable reflectors. Virgule LED has an integrated track box driver which allows for tool-free track mounting. Virgule LED is UVA/IR free to reduce colour damage potential.

www.thornlighting.com/VRG2


Areaflood Pro

Areaflood Pro is a general purpose area/sports floodlight with superior optical performance and control (0cd at 90°, minimal spill light) and high efficacy (105-115Llm/W).

Areaflood Pro provides high light output with comfort and energy savings. The floodlight is a low cost of ownership LED alternative to HID solutions and offers low maintenance requirements with a substantial 100 000-hours lifetime for both the LED (B10L80) and drivers (Ta25°C).

A compact, lightweight design makes the floodlight easy to install and easy to retrofit to any existing column for reduced structural costs. This family range offers a great lumens per size ratio with a choice of three sizes and lumen outputs from 5 000 to 35 000Llm. Five light distributions (three asymmetric and two street optics), a choice of colour temperatures (4000K with the option of 3000K) and a range of controls (including DALI, bi-power and power line or radio frequency control management system) as well as accessories (baffle or visor) ensure suitability for the application. Areaflood Pro has high mechanical resistance (IP66, IK08) and is available in electrical classes CL1 and CL2.

www.thornlighting.com/AFLP







5

Thor L



Thor L is an urban lantern featuring great light optics for high user comfort that integrates easily into every city environment due to the amount of mounting options.

Thor L delivers a light output of up to 12 000 lumens. The lantern Thor L offers a range of mounting options including lateral, post-top, suspended and catenary. The choice of either a full dome or opal finish helps create a beautiful lighting signature while compatibility with three R-PEC optics (narrow road, wet road and street comfort) allows precise light placement with no waste light. Thor L's efficient luminaire efficacy (up to 119Lm/W) provides high energy savings and a low maintenance 100 000-hours lifetime. Dimming is included as standard. With its timeless appeal, Thor L offers a truly connected solution as it can incorporate intelligent wireless control systems and it is compatible with various communication devices, including CCTV cameras.

www.thornlighting.com/THOR

Urba Deco



Urba Deco is a decorative urban LED lantern with a unique shape to provide high lighting quality and to create ambience across the cityscape.

Urba Deco is very versatile, it enables to cover complete projects with a maximum of consistency in design as it can be mounted either as a post-top, suspended, wall and catenary depending on the cityscape requirements. In addition, it is available with a collection of dedicated columns and brackets. The lantern is available with an efficient clear or comfortable prismatic diffuser and symmetrical or asymmetrical optics. It offers more than 20 different light distributions to create the right light for the application. Urba Deco is available with a light output of up to 8 000 luminaire lumens while high efficacy (> 100lm/W) ensures low energy consumption. Urba Deco complies with the most restrictive lighting pollution laws (ULOR = 0) and has a 100 000-hours (B10L90) lifetime to reduce costly and time-consuming maintenance. IP66 and IK10 ratings ensure durability.



7



Beta Office

Beta Office is a low glare (UGR 19, <math><3.000\text{ CD/m}^2</math>) recessed LED luminaire providing comfortable lighting, ideal for office environments.

With seamless corners and a slim design Beta Office integrates easily into every environment. The flat panel luminaire has a light output of 3 200 lumens. High efficacy (95Lm/W) ensures low energy consumption as well as a long 50 000-hours lifetime. Beta Office is available in colour temperatures of 3000K and 4000K, and with a colour rendering index (CRI) up to 80.

www.thornlighting.com/BETA

8



Cetus Mini (extension)

Cetus Mini is a highly efficient recessed LED downlight with over 92Lm/W, fire rated (30, 60 or 90 minutes) with fixed or adjustable options.

Expanding the existing Cetus LED portfolio, Cetus Mini with its small ceiling cut out fits perfectly for residential and commercial applications, including retail and hospitality. The compact design of the luminaire allows installations into shallow ceiling voids thus maximising ceiling heights. Latest LED technology has increased the lifetime and replicates the appearance of a halogen light. Ideal for replacing a traditional halogen downlights installation, Cetus Mini benefits from a reflector optic with a beam angle of 36° for visual consistency. It is available with white or chrome trims, 550Lm and now also 900Lm. In addition to 3000K and 4000K, the range now also includes a colour temperature of 2700K to create a warmer atmosphere. Cetus Mini is available with IP20 or IP65 ratings.

www.thornlighting.com/CTUM

9



PopPack LED (extension)

A 2ft (600mm) and 5ft (1,5m) high performance LED extension to the popular PopPack batten range.

Lengths of 600, 1 200, 1 500 and 1 800mm provide even greater choice for flexible lighting design. PopPack LED 2ft and 5ft feature fixing and connection points which are identical to older PopPack models to provide an easy refurbishment solution. High efficacy ($>100\text{Lm/W}$) helps achieve a quick return on investment while a replaceable LED engine allows performance to be easily maintained over time. Suitable for a wide range of industry and engineering applications, PopPack LED benefits from an extensive lumen package ranging from 3 000 to up to 9 000 lumens. It has a 4000K colour temperature. A 50 000-hours lifetime ensures low maintenance throughout this product's lifetime. PopPack LED is available with a HF, HFI or E3 ballast.

www.thornlighting.com/POPL

10




Arena Symphony LED

Specifically designed for the classroom, Arena Symphony LED combines a slim profile with high performance sound absorbing features.

Arena Symphony LED is a suspended luminaire with direct/indirect light, EN 12464 compliant and provides sound absorbing panels to BB93 standards. It is also possible to install lighting controls and the luminaire has options for emergency systems. Fitted with high performance LED, Arena Symphony LED offers excellent efficacy (100Llm/W) to increase energy savings in classrooms. Providing choice and flexibility, Arena Symphony LED is available in different lengths and lumen packages as well as with different optics and dimming options. For an easy refurbishment solution with quick installation Arena Symphony LED can be supplied with the ready2mains™ technology from Tridonic. Arena Symphony LED offers a great solution integrating lighting and sound absorbing features for classrooms.

www.thornlighting.com/ARNS

11



Beta

Beta is a recessed LED luminaire with high efficacy (95Llm/W) for low energy consumption as well as a long 50 000-hours lifetime.

The luminaire is part of Thorn's trade product portfolio and comes with picture packaging. With seamless corners and a slim design Beta has a sleek appearance. The luminaire provides a light output of up to 3 400 lumens. It is available in colour temperatures of 3000K and 4000K, and with a colour rendering index (CRI) up to 80.

www.thornlighting.com/BETA

THORN

LIGHTING PEOPLE

Thorn Lighting Main Offices

Africa

Thorn Europhone S.A
156 Boulevard Haussmann
75379 Paris Cedex 08, France
Tel: (33) 1 49 53 62 62
Fax: (33) 1 49 53 62 40
info.paris@zumtobelgroup.com
www.thornlighting.fr

Australia

Thorn Lighting Pty Limited
43 Newton Road, Wetherill Park, NSW 2164
Tel: (02) 8786 6000
Fax: (02) 9612 2700
infoaustralia@zumtobelgroup.com
www.thornlighting.com.au

Austria

ZG Lighting Austria GmbH
Donau-City-Strasse 1, 1220 Wien
Tel: (43) 1 258 26 01-0
Fax: (43) 1 258 26 01-82845
welcome@zumtobel.at
www.thornlighting.at

Benelux

ZG Lighting Benelux
Rijksweg 47 A, Industriezone Puurs Nr. 442
BE-2870 Puurs, Belgium
Tel: (32) 3 860 16 60
Fax: (32) 3 860 16 69
info.be@zumtobelgroup.com
www.thornlighting.be

Bosnia and Herzegovina

ZG Lighting d.o.o.
Topal Osman Pase 18
71000 Sarajevo, Bosnia and Herzegovina
Tel: (387) 1 61 172 240
welcome.ba@zumtobelgroup.com
www.thornlighting.ba

China

Thorn Lighting (Guangzhou) Limited
No.12 Lianyung Road, Eastern Section, GETDO
Guangzhou 510530 P.R. China
Tel: (86) 20 2232 6000
Fax: (86) 20 3228 1777
cn.sales@zumtobelgroup.com

Croatia

ZG Lighting d.o.o.
Radnicka cesta 80
HR - 10000 Zagreb, Croatia
Tel: (385) 1 640 40 80
Fax: (385) 1 640 40 90
welcome@zumtobel.hr
www.thornlighting.hr

Cyprus, Greece, Malta and Turkey

Zumtobel Lighting GmbH
Schweizer Strasse 30, A-6851 Dornbirn, Austria
Tel: (43) 5572 3900
Fax: (43) 5572 22826
welcome@zumtobel.si
www.thornlighting.com

Czech Republic

ZG Lighting Czech Republic s.r.o.,
Jankovcova 2, 170 00 Praha 7
Tel: (420) 266 782 200
Fax: (420) 266 782 201
thorn.cz@zumtobelgroup.com
www.thornlighting.cz

Denmark

Thorn Lighting A/S
Slamholmen 155, 5. sal, 2650 Hvidovre,
Tel: (45) 76 96 36 00
kundeservice.dk@zumtobelgroup.com
www.thornlighting.dk

France

Thorn Europhone SA
156 Boulevard Haussmann,
75379 Paris Cedex 08, France
Tel: (33) 1 49 53 62 62
thorn.promotion@zumtobelgroup.com
www.thornlighting.fr

Germany

ZG Licht Süd GmbH
Sollmsstraße 83
60486 Frankfurt
Tel: (49) 69 26 48 89-0
Fax: (49) 69 26 48 89-80
frankfurt@zumtobel.com
www.thornlighting.de

Hong Kong, Taiwan

Thorn Lighting (Hong Kong) Limited
Unit 503-508, 5/F, Building 16W, Phase 3,
Hong Kong Science Park, N.T., Hong Kong
Tel: (852) 2578 4303
Fax: (852) 2887 0247
info.hk@zumtobelgroup.com
www.thornlighting.hk
www.thornlighting.tw

Hungary

ZG Lighting Hungary Kft
H-1134 Budapest,
Váci út 49,
Tel: (36) 1 450 2490
Fax: (36) 1 350 0829
welcome@zumtobel.hu
www.zumtobel.hu

India

Thorn Lighting India Pvt. Ltd.
No.43, Chamiers Road,
Reja Annamalaiapuram,
Chennai - 600028, Tamilnadu, India.
Tel: (91) 44 2435 7588
Fax: (91) 44 2435 8744
info.in@thornlighting.com
www.thornlighting.in

Ireland

Thorn Lighting (Ireland) Limited
Century House, Harolds Cross Road,
Dublin 6W
Tel: (353) 1 4922 877
Fax: (353) 1 4922 724
dublinsales@zumtobelgroup.com
www.thornlighting.co.uk

Italy

ZG Lighting Srl socio unico
Via G Di Vittorio, 2, Cadrano di Granarolo,
Bologna 40057, Italy
Tel: (39) 051 763391
Fax: (39) 051 763088
thorn.it@zumtobelgroup.com
www.thornlighting.it

Kingdom of Saudi Arabia

Zumtobel Lighting Saudi Arabia Ltd.
P.O.Box 11911 Jeddah, 21463
Kingdom of Saudi Arabia
Tel: (966) 012 6533077
Fax: (966) 012 6533153
marketing.mena@zumtobelgroup.com
www.thornlighting.ae

Korea

1506, Union Centre BLDG,
837-11, Yeoksam-dong, Kangnam-gu, Seoul
Tel: (82) 2 565 8823-4
Fax: (82) 2 565 8827
info.kr@zumtobelgroup.com
www.thornlighting.kr

Latin America

ZG Lighting Southern Europe and Latam, S.L.
Calle Orinoco 90, planta 21, Of. 03
Las Condes, Santiago de Chile (Chile)
Tel: (56) 22 573 77 80
info.latam@zumtobelgroup.com
www.thornlighting.es
www.thornlighting.com

Middle East - Bahrain, Kuwait, Jordan, Palestine, Lebanon, Iran, Yemen

Thorn Lighting Ltd
4B Street, Al Quoz industrial area,
P.O.Box: 22672,
Dubai, United Arab Emirates
Tel: (971) 4 294 8938
karen.sanchez@zumtobelgroup.com
www.thornlighting.ae

Netherlands

ZG Lighting Benelux
Zinkstraat 24-26
4823 AD Breda
Netherlands
Tel: (31) 76 541 76 64
Fax: (31) 76 541 54 98
info@zumtobel.nl
www.thornlighting.nl

New Zealand

ZG Lighting (NZ) Limited
399 Rosebank Road, Avondale,
Auckland 1026, PO Box 71134, Rosebank,
Auckland 1348
Tel: (64) 9 828 7155
Fax: (64) 9 828 7591
thnz.info@zumtobelgroup.com
www.thornlighting.co.nz

Norway

Thorn Lighting AS
Strømsveien 344, 1081 Oslo
Tel: (47) 22 82 07 00
kundeservice.no@zumtobelgroup.com
www.thornlighting.no

Oman

Thorn Lighting c/o Delta Co. Ltd. LLC,
P.O.Box: 1537; Postal Code 112 RUWI
Tel: (968) 2470 8483
Fax: (968) 2470 8502
shanty.carvalho@zumtobelgroup.com
www.thornlighting.ae

Poland

ZG Lighting Polska Sp. z o.o.
Ul. Woloska 9A
02-583 Warszawa
Polska
Tel: (48) 22 856 74 31
zgpolska@zumtobelgroup.com
www.thornlighting.pl

Qatar

Thorn Lighting c/o Arabian Link Trading
Cleopatra Building, Office No. 8, First Floor
P.O.Box 6026, Doha, State of Qatar
Tel: (974) 4432 1445
Fax: (974) 4432 1445
dakshata.sathya@zumtobelgroup.com
www.thornlighting.ae

Romania

Zumtobel Lighting Romania SRL
Str. Radu Greceanu 2, Sector 1
RO-012225, Bucuresti, Romania
Tel: (40) 31225 38 01
ro.welcome@zumtobelgroup.com
www.thornlighting.com

Russia

Thorn Lighting
Skakovaya str., h. 17, bl. 2, office 2110
125040, Moscow
Tel: (7) 495 981 35 41
Fax: (7) 495 981 35 42
office.moscow@zumtobelgroup.com
www.thornlighting.ru

Serbia and Montenegro

ZG Lighting d.o.o.
Beton hala - Karadordeva 2-4
11000 Beograd, Serbia
Tel: (381) 69 5444802
welcome.rs@zumtobel.com
www.thornlighting.rs

Singapore

Thorn Lighting (Singapore) Pte Ltd
5 Kaki Bukit Crescent, 04-02 Kayotech
Building, 416238 Singapore
Tel: (65) 6844 5800
Fax: (65) 6745 7707
info.sg@zumtobelgroup.com

Slovakia

ZG Lighting Slovakia s.r.o.
Tomášikova 64
831 04 Bratislava
Tel: (421) 220 300 044
welcome@zumtobel.sk
www.zumtobel.sk

Slovenia

ZG Lighting d.o.o.
Štukljeva cesta 46,
SI - 1000 Ljubljana, Slovenia
Tel: (386) 1 56 09 820
welcome.si@zumtobel.com
www.thornlighting.si

South + East Africa

Thorn Lighting Ltd
Durhamgate, Spennymoor,
County Durham, DL16 6HL
Main Switchboard
United Kingdom
Tel: (44) 1388 42 00 42
www.thornlighting.co.uk

Spain

ZG Lighting Southern Europe and Latam, S.L.
C/ Inocencio Fernández, 81
28035 Madrid (Spain)
Tel: (34) 91 659 30 76
info.spain@zumtobelgroup.com
www.thornlighting.es

Sweden

Thorn Lighting AB
Industriगतan, Box 305, SE-261 23
Landskrona
Tel: (46) 418 520 00
Fax: (46) 418 265 74
kundeservice.se@zumtobelgroup.com
www.thornlighting.se

Switzerland

Zumtobel Licht AG
Thurgauerstrasse 39, 8050 Zürich
Tel: (41) 44 305 35 35
Fax: (41) 44 305 35 36
info@thornlighting.ch
www.thornlighting.ch

United Arab Emirates - Abu Dhabi

Thorn Gulf LLC
Obaid Khaleefa Al Jaber Building
Office No. 01, Floor '0' (zero)
Behind National Bank of Abu Dhabi
Tel: (971) 2 634 4144
Fax: (971) 2 634 4116
sales@thornlighting.ae
www.thornlighting.ae

United Arab Emirates - Dubai

Thorn Lighting Ltd Dubai
4B Street, Al Quoz industrial area,
P.O.Box: 22672,
Dubai, United Arab Emirates
Tel: (971) 4 294 8938
sales@thornlighting.ae
www.thornlighting.ae

United Kingdom

ZG Lighting (UK) Limited
Durhamgate, Spennymoor,
County Durham, DL16 6HL
Tel: (44) 1388 42 00 42
Fax: (44) 1388 42 01 56
www.thornlighting.co.uk

www.thornlighting.com



5 Year Warranty

As a globally leading luminaire manufacturer, Thorn Lighting provides a five-year warranty for its complete product range within all European Countries. Effective from 1st May 2015.

Thorn Lighting is constantly developing and improving its products. All descriptions, illustrations, drawings and specifications in this publication present only general particulars and shall not form part of any contract. The right is reserved to change specifications without prior notification or public announcement. All goods supplied by the company are supplied subject to the company's General Conditions of Sale, a copy of which is available on request. All measurements are in millimetres and weights in kilograms unless otherwise stated.

Publication No: PROD_FOCUS (UK/IRE) Publication Date: 03/16



www.pefc.org
PEFC-COC-38-214